

3 1761 04287 7142

Pharmacopœia

RS

141

.23

P48

1916

PHAR

Presented by
Sister Liguori

Pharmacopoeia of
St. Michael's Hospital
1916

and some old examination
papers.

THE LIBRARY
FACULTY OF PHARMACY
UNIVERSITY OF TORONTO

DEC 1 1964

Dec. 11/64.

Mary Austin.




R. O. HURST LIBRARY

FACULTY OF PHARMACY
UNIVERSITY OF TORONTO

PHARMACOPŒIA
OF
St. Michael's Hospital
TORONTO

COMPILED BY A COMMITTEE
APPOINTED BY
THE MEDICAL BOARD

1916



NOTE:—The ingredients used in the compounds of this publication are mostly drugs or preparations of the British Pharmacopœia. Many other official and non-official drugs and preparations are also kept in stock.

THE LIBRARY
FACULTY OF PHARMACY
UNIVERSITY OF TORONTO

TABLE OF CONTENTS.

	PAGE.
Balnea	5
Collunaria	6
Emulsiones	7
Enemata	8
Gargarismata	10
Guttæ	11
Haustus	15
Injectiones	16
Linctus	18
Linimenta	19
Lotiones	21
Misturæ	23
Nebulæ	34
Pastæ	36

	PAGE.
Pigmenta	37
Pilulæ vel Tabellæ	39
Potus	42
Pulveres	43
Sera	45
Suppositoria	47
Trochisci	47
Unguenta	48
Vaccines	55
Vapores	56

BALNEA.

- 1.—BALNEUM CALIDUM.
Water at 98 deg. F. to 110 deg. F.
 - 2.—BALNEUM FRIGIDUM.
Water at 60 deg. F.
 - 3.—BALNEUM TEPIDUM.
Water at 85 deg. F. to 92 deg. F.
-

To make the following medicated baths, add the quantity of the ingredient mentioned to 30 gallons of water at 98 degrees F.

- 4.—BALNEUM ALKALINUM.
Sodium Carbonate, 4, 6, or 8 ounces.
- 5.—BALNEUM ALKALINUM COMPOSITUM.
Borax. 1½ ounces
Sodium Carbonate ..6 ounces
Starch Paste 4 ounces
- 6.—BALNEUM BITUMINIS.
Solution of Coal Tar..8 fluid ounces
- 7.—BALNEUM CREOSOTI.
Creosote 2 fluid drachms
Glycerin 2 fluid ounces

8.—BALNEUM FURFURIS.

Wheaten Bran 4 pounds

Tie the bran in a muslin bag and macerate with frequent agitation for 15 minutes in one-third of the water at 180 deg. F.; then add more water to produce the requisite quantity at 98 deg. F.

9.—BALNEUM SINAPIS.

Mustard 2 pounds

Rub the mustard to a smooth paste with cold water before adding it to the hot water.

10.—BALNEUM SODII CHLORIDI.

Salt 8 pounds.

11.—BALNEUM SULPHURATUM.

Sulphurated Potash .. 4 ounces

COLLUNARIA.

The following nasal douches are to be diluted with two parts of warm water before use.

12.—COLLUNARIUM ALKALINUM.

SYN: DOBELL'S SOLUTION.

R—Sodii Bicarbonatis gr. iv.
 Sodii Biboratis gr. iv.
 Acidi Carbolici Puri gr. ii.
Glycerin. ~~Sacchari Purificati~~ gr. x.
 Aquam ad oz. i.

13.—COLLUNARIUM AMMONII CHLORIDI.

R—Ammonii Chloridi	..	..	gr. x.
Sodii Chloridi	..	..	gr. vi.
Sacchari Purificati	..	..	gr. x.
Aquam	..	..	ad oz.i.

14.—COLLUNARIUM BORACIS.

R—Sodii Biboratis	..	..	gr. iv.
Sodii Bicarbonatis	..	..	gr. iv.
Sodii Chloridi	..	..	gr. iv.
Sacchari Purificati	..	..	gr. x.
Aquam	..	..	ad oz.i.

15.—COLLUNARIUM POTASSII PERMANGAN-
ATIS.

R—Potassii Permanganatis	..	gr. $\frac{1}{4}$
Sodii Chloridi	..	gr. x.
Aquam	..	ad oz.i.

EMULSIONES.

16.—EMULSIO IODOFORMI.

Glycerini	..	..	..	drm.	iss.
R—Iodoformi	..	..	..	gr.	xlvi.
Spiritus Rectificati	..	..	..	drm.	i.
Aquam	..	..	..	ad	oz.i.

17.—EMULSIO OLEI MORRHUÆ.

R—Olei Morrhuæ	..	..	drm. i.
Olei Gaultheriæ	..	..	m. $\frac{1}{4}$.
Liquorem Calcis	ad		drm. ii.

18.—EMULSIO OLEI MORRHUÆ CUM FERRO

R—Ferri Tartarati		gr. v.
Spiritus Aetheris		m. v.
Tincturæ Quillaia		m. v.
Olei Morrhua		drm. i.
Aquam	 ad	drm. ii.

19.—EMULSIO TONICA.

R—Emuls. Olei Morrhua	drm. i.
Syrupus Ferri Iodidi..	m. xxx.
Syrupus Hypophosphatis	
Compositum	.. ad drm. ii.

ENEMATA.

20.—ENEMA 1. 2. 3.

R—Glycerini		oz. ii.
Magnesii Suphatis		oz. iv.
Aquae		oz. vi.

21.—ENEMA AMYLI.

R—Pulveris Amyli		drm. ii.
Aquam	 ad	oz. v.

Rub the starch to a smooth paste with the water, heat the mixture to boiling, then cool to proper temperature.

22.—ENEMA ASAFETIDÆ.

R—Tincturæ Asafetida		oz. ss.
Enema Amyli		oz. vi.

23.—ENEMA ASAFETIDÆ ET TEREBINTH-
INÆ.

R—Tincturæ Asafetidæ .. drm. i.
Olei Terebinthinæ oz. i.
Glycerini oz. ss.
Aquam ad oz. vi.

This enema may be followed by one or two pints of the Enema Simplex.

24.—ENEMA CHLORAL.

R—Chloral Hydratis .. gr. x.-xl.
Enema Amyli ad oz. iv.

25.—ENEMA FERRI PERCHLORIDI.

R—Tincturæ Ferri Perchlor. drm. i.
Aquam ad Oss.

26.—ENEMA GLYCERINI.

R—Glycerini drm. i.-iv.

This may be used with or without an equal quantity of warm water.

27.—ENEMA OLEI RICINI.

R—Olei Ricini oz. iv.
Saponis Mollis oz. ss.
Aquam Calidam ..ad Oi.

28.—ENEMA OLEOSUM.

R—Olei Olivæ oz. iv.
Saponis Mollis oz. i.
Aquam Calidam ad Oi.

29.—ENEMA OPII.

R—Tincturæ Opii m.x.-lx.
 Enema Amyli .. ad oz. vi.

30.—ENEMA SIMPLEX.

R—Saponis Mollis oz. i.
 Aquam Calidam ad Ol.

31.—ENEMA SODII CHLORIDI.

R—Sodii Bicarbonatis .. drm. ss.
 Sodii Chloridi drm. ii.
 Aquam ad Ol.

32.—ENEMA TEREBINTHINÆ.

R—Olei Terebinthinæ .. drm. ss.-ii.
 Enema Amyli ..ad. Oi

GARGARISMATA.

To be used in the proportion of one drachm to half a tumbler of warm water.

33.—GARGARISMA ACIDI CARBOLICI.

R—Glycerini Acidi Carbol. m. xx.
 Aquam ad oz. i.

34.—GARGARISMA ALKALINUM.

SYN: DOBELL'S SOLUTION.

R—Sodii Biboratis gr. vi.
 Sodii Bicarbonatis .. gr. vi.
 Acidi Carbolicæ Puri .. m. ii.
 Sacchari Purificati .. gr. x.
 Aquam ad oz. i.

35.—GARGARISMA ALUMINIS.

R—Aluminis		gr. x.
Aquam	 ad	oz. i.

36.—GARGARISMA BORACIS.

R—Glycerini Boracis	..	drm. i.
Aquam	 ad	oz. i.

37.—GARGARISMA MYRRHÆ COMPOSITUM.

R—Glycerini Boracis	..	drm. i.
Tincturæ Myrrhæ	..	m. x
Aquam	 ad	oz. i.

38.—GARGARISMA POTASSII CHLORATIS.

R—Potassii Chloratis	..	gr. xv.
Aquam	 ad	oz. i.

39.—GARGARISMA POTASSII CHLORATIS
CUM FERRO.

R—Liq. Ferri Perchlor.	..	m. xv.
Potassii Chloratis	..	gr. xv.
Glycerini		drm. i.
Aquam	 ad	oz. i.

GUTTÆ.

40.—GUTTÆ ACIDI BORICI.

(Aural.)

R—Acidi Borici		gr. x.
Spiritus Rectificatus ad		oz. i.

41.—GUTTÆ ACIDI CARBOLICI.

SYN: KEITH'S DRESSING.

(Aural, etc.)

R—Glycerini Ac. Carbol... dr̄m. iv.
Glycerinum ad oz. i.

42.—GUTTÆ ACIDI CARBOLICI ET ZINCI
SULPHATIS.

(Aural)

R—Acidi Carbolici gr. v.
Zinci Sulphatis gr. v.
Aquam ad oz. i.

43.—GUTTÆ ARGYROL.

(Ophthalmic)

R—Argyrol gr.i.-dr̄m.iss.
Aquam ad oz. i.

44.—GUTTÆ ATROPINÆ SULPHATIS.

(Ophthalmic)

R—Atropinæ Sulphatis .. gr. i.-iv.
Aquam Destillatam ad oz. i.

45.—GUTTÆ COCAINÆ HYDROCHLORIDI.

(Ophthalmic)

R—Cocainæ Hydrochloridi gr. x.
Aquam Destillatam ad oz. i.

46.—GUTTÆ CUPRI SULPHATIS.

(Ophthalmic)

R—Cupri Sulphatis gr. ii.
Aquam Destillatam ad oz. i.

47.—GUTTÆ DUBOISINÆ SULPHATIS.

(Ophthalmic)

R—Duboisinæ Sulphatis ..	gr. i.
Aquam Destillatam ad	oz. i.

48.—GUTTÆ ESERINÆ ET COCAINÆ.

(Ophthalmic)

R—Eserinæ Sulphatis ..	gr. i.
Cocainæ Hydrochloridi	gr. iv.
Aquam Destillatam ad	oz. i.

49.—GUTTÆ ESERINÆ SULPHATIS.

(Ophthalmic)

R—Eserinæ Sulphatis ..	gr. ss.-iv.
Aquam Destillatam ad	oz. i.

50.—GUTTÆ HOMATROPINÆ ET COCAINÆ.

(Ophthalmic)

R—Homatropinæ Hydrobrom.	gr. vi.
Cocainæ Hydrochloridi	gr. x.
Aquam Destillatam ad	oz. i.

51.—GUTTÆ HOMATROPINÆ ET COCAINÆ
OLEOSÆ.

(Ophthalmic)

R—Homatropinæ Hydrobrom.	gr. x.
Cocainæ Hydrochloridi	gr. x.
Oleum Ricini ad	oz. i.

52.—GUTTÆ HOMATROPINÆ HYDROBROM-
IDI.

(Ophthalmic)

R—Homatropinæ Hydrobrom.	gr. iv.
Aquam Destillatam ad	oz. i.

53.—GUTTÆ HYDRARGYRI NITRATIS.
(Aural)

R—Ung. Hydrarg. Nit. Dil.	drm. i.
Olei Olivæ	drm. ss.
Paraffinum Liq. ad	oz. i.

54.—GUTTÆ HYDROGENII PEROXIDI.
(Aural)

R—Hydrogenii Peroxidi	
(10 vols.)	drm. iv.
Aquam Destillatam ad	oz. i.

55.—GUTTÆ HYOSCINÆ HYDROBROMIDI.
(Ophthalmic)

R—Hyoscinæ Hydrobrom.	gr. i.-ii.
Aquam Destillatam ad	oz. i.

56.—GUTTÆ PILOCARPINÆ NITRATIS.
(Ophthalmic)

R—Pilocarpinæ Nitratis..	gr. ii.-iv.
Aquam Destillatam ad	oz. i.

57.—GUTTÆ SODII SALICYLATIS.
(Ophthalmic)

R—Sodii Salicylatis ..	gr. viii.
Aquam ad	oz. i.

58.—GUTTÆ ZINCI CHLORIDI.
(Ophthalmic)

R—Zinci Chloridi	gr. i.
Aquam Destillatam ad	oz. i.

59.—GUTTÆ ZINCI CHLORIDI ET ACIDI BORICI.

(Ophthalmic)

R—Zinci Chloridi		gr. ss.-ii.
Acidi Borici		gr. x.
Aquam Destillatam	ad	oz. i.

60.—GUTTÆ ZINCI CHLORIDI ET COCAINÆ.

(Ophthalmic)

R—Zinci Chloridi		gr. ii.
Cocainæ		gr. x.
Aquam Destillatam	ad	oz. i.

HAUSTUS.

61.—HAUSTUS ALBUS.

R—Magnesii Sulphatis	..	drm. ii.
Magnesii Carbonatis	..	gr. xss.
Tincturæ Zingiberis		m. vss.
Aquam	 ad	oz. i.

62.—HAUSTUS FILICIS.

R—Extracti Filicis Liquidi		drm. i.
Syrupi Zingiberis	..	drm. i.
Tincturæ Quillaia	..	drm. ss.
Aquam Menthæ Pip.	ad	oz. i.

63.—HAUSTUS NIGER.

R—Magnesii Sulphatis	..	gr. xlv.
Tincturæ Sennæ	..	m. viiss.
Extracti Sennæ Liquid		m. xv.
Ext. Glycyrrhizæ Liq.		m. viiss.
Tinct. Cardamomi Co.		m. xv.
Aquam		ad oz. i.

INJECTIONES.

64.—INJECTIO ACIDI BORICI.

(Vaginal)

R—Acidi Borici		drm. i.
Aquam		ad Oi.

65.—INJECTIO ACIDI TANNICI.

(Vaginal)

R—Acidi Tannici		drm. i.
Aquam		ad Oi.

66.—INJECTIO ALUMINIS.

(Vaginal)

R—Aluminis		drm. i.
Aquam		ad Oi.

67.—INJECTIO ALUMINIS COMPOSITA.

(Urethral)

R—Aluminis		gr. iv.
Acidi Carbolici Puri		gr. 1/4
Aquam		ad oz. i.

68.—INJECTIO PLUMBI.

(Vaginal)

R—Liquor Plumbi Subace-	
tatis Fortis	drm. i.
Aquam ad	Ol.

69.—INJECTIO POTASSII PERMANGANATIS.

(Vaginal)

R—Potassii Permanganatis	gr. v.
Aquam ad	Ol.

70.—INJECTIO PROTARGOL.

(Urethral)

R—Protargol	gr. v.
Aquam ad	oz. i.

71.—INJECTIO ZINCI CHLORIDI.

(Urethral)

R—Zinci Chloridi	gr. i.
Aquam ad	oz. i.

72.—INJECTIO ZINCI CHLORIDI.

(Vaginal)

R—Zinci Chloridi	gr. v.
Aquam ad	Ol.

73.—INJECTIO ZINCI PERMANGANATIS.

(Urethral)

R—Zinci Permanganatis	gr. ss.
Aquam ad	oz. i.

74.—INJECTIO ZINCI SULPHATIS.

(Urethral)

R—Zinci Sulphatis	gr. ii.
Aquam ad	oz. i.

75.—INJECTIO ZINCI SULPHATIS.

(Vaginal)

R—Zinci Sulphatis	drm. i.
Aquam ad	Oi.

76.—INJECTIO ZINCI SULPHOCARBOLATIS.

(Urethral)

R—Zinci Sulphocarbollatis	gr. v.
Aquam ad	oz. i.

LINCTUS.

77.—LINCTUS ACIDUS.

R—Oxymellis	m. xxv.
Acidi Sulphurici Diluti	m. v.
Linctum Simplicem ad	drm. i.

78.—LINCTUS CAMPHORÆ COMPOSITUS.

R—Tinct. Camphoræ Co...	m. xx.
Syrupi Scillæ	m. xx.
Syrupi Tolutani ..	m. xx.

79.—LINCTUS MENTHOLIS.

R—Mentholis	gr. 1/16
Glycerini	m. viii.
Aquæ Laurocerasi ..	m. x.
Spiritus Vini Rect. ..	m. xii.
Syrupi Rhæados ..	m. xv.
Aquam ad	drm. i.

80.—LINCTUS OPIATUS.

R—Tincturæ Opii		m. ii.
Acidi Sulphurici Diluti		m. ii.
Syrupi Simplicis	..	drm. ss.
Aquam	 ad	drm. i.

81.—LINCTUS SIMPLEX.

R—Theriaca		m. xx.
Spiritus Chloroformi		m. ii.
Aquam	 ad	drm. i.

82.—LINCTUS TERPHEROIN.

R—Heroin Hydrochloridi		gr. 1/32
Terpin Hydratis	..	gr. 1/4
Acidi Hydrocyan. Dil.		m. i.
Syrupi Tolutani		drm. ss.
Aquam	 ad	drm. i.

LINIMENTA.

83.—LINIMENTUM A. B. C. *Lin. d. 1/2*

R—Linimenti Aconiti,		
Linimenti Belladonnæ,		
Linimenti Chloroformi		
.. ..		partes æquales

84.—LINIMENTUM ACONITI CUM SAPONE.

R—Linimenti Aconiti	..	drm. ii.
Linimenti Saponis	..	drm. vi.

85.—LINIMENTUM ANODYNUM.

R—Linimenti Aconiti ..
 Linimenti Opii ..
 Linimenti Belladonnæ
 partes æquales

86.—LINIMENTUM BELLADONNÆ CUM
 SAPONE.

R—Linimenti Belladonnæ drm. ii.
 Linimenti Saponis .. drm. vi.

87.—LINIMENTUM CROTONIS DILUTUM.

R—Linimenti Crotonis ..
 Linimenti Saponis ..
 partes æquales

88.—LINIMENTUM OPII.

R—Spiritus Methylati .. oz. iii.
 Linimenti Saponis .. oz. i.
 Tincturæ Opii oz. i.

89.—LINIMENTUM OPII COMPOSITUM.

R—Tincturæ Opii drm. i.
 Chloroformi drm. i.
 Lin. Camphoræ Amm. drm. ii.
 Linimenti Saponis .. drm. iv.

90.—LINIMENTUM TEREBINTHINÆ ACET-
 ICÆ.

R—Olei Terebinthinæ .. drm. iv.
 Acidi Acetici Glacialis drm. i.
 Linimenti Camphoræ drm. iv.

LOTIONES.

91.—LOTIO ACIDI BORICI.

(Ophthalmic)

R—Acidi Borici	gr. xv.
Aquam Destillatam ad	oz. i.

92.—LOTIO ACIDI BORICI.

R—Acidi Borici	gr. xv.
Aquam ad	oz. i.

93.—LOTIO ACIDI HYDROCYANICI CUM SODIO.

(Ophthalmic)

R—Acidi Hydrocyanici Dil	m. iv.
Sodii Biboratis	gr. iv.
Sodii Bicarbonatis	gr. iv.
Aquam Destillatam ad	oz. i.

94.—LOTIO ACIDI SULPHUROSI.

R—Acidi Sulphurosi	drm. ii.
Aquam ad	oz. i.

95.—LOTIO ALUMINIS.

(Ophthalmic)

R—Aluminis	gr. iv.
Aquam Destillatam ad	oz. i.

96.—LOTIO ALUMINIS ACETATIS.

R—Aluminis Sulphatis	drm. ii.
Lotionis Plumbi Sub-	
acetatis Diluti	Oj.

Agitate and let stand, then filter.

97.—LOTIO ALUMINIS COMPOSITA.

(Ophthalmic)

R—Aluminis		gr. ii.
Zinci Sulphatis		gr. i.
Aquam Destillatam	ad	oz. i.

98.—LOTIO AQUÆ ROSÆ.

SYN: HAND LOTION.

R—Glycerini		drm. iv.
Spiritus Camphoræ	..	drm. ss.
Acidi Carbolici		m. ii.
Sodii Biboratis		m. v.
Aquam Rosæ	ad	oz. i.

99.—LOTIO BORACIS.

(Ophthalmic)

R—Sodii Biboratis		gr. x.
Sodii Bicarbonatis	..	gr. x.
Aquam Destillatam	ad	oz. i.

100.—LOTIO CALAMINÆ.

R—Calaminæ		gr. xl.
Zinci Oxidi		gr. xx.
Glycerini		m. xx.
Liquor Calcis	ad	oz. i.

101.—LOTIO CALAMINÆ OLEOSA.

R—Calaminæ		gr. lx.
Zinci Oxidi		gr. xx.
Liquoris Calcis		drm. iii.
Olei Olivæ		oz. i.

102.—LOTIO EUSOL.

R—Pulveris Eupad .. grms. xxv.
Aquae litre i.

Shake together, allow to stand for some hours, and then filter.

For intravenous injection add 8.5 grams of sterile sodium chloride.

103.—LOTIO EVAPORANS.

R—Ammonii Chloridi .. gr. x.
Spiritus Methylati .. drm. ii.
Liq. Amm. Acetatis .. drm. i.
Aquam ad oz. i.

MISTURAE

104.—MISTURA ACIDA.

R—Acidi Nitro-hyd. Dil... m. xv.
Tincturæ Nucis Vom. m. viiss.
Tinct. Gentianæ Co... m. xv.
Aquam ad drm. ii.

105.—MISTURA ACIDI HYDROCHLORIDI CUM
STRYCHNINA.

SYN: MISTURA TYPHOID.

R—Ac. Hydrochlor. Dil. .. m. viiss.
Liquoris Strychninæ m. iv.
Aquam ad drm. ii.

106.—MISTURA ACIDI SULPHURICI CUM
OPIO.

R—Ac. Sulphurici Arom. m. v.
Tincturæ Opii m. v.
Tinct. Cardamomi Co. m. xx.
Aquam Chloroformi ad drm. ii.

107.—MISTURA AMMONIÆ CUM AETHERE.

R—Sp. Ammoniæ Aromat. drm. ss.
Spiritus Aetheris .. drm. ss.
Aquam Chloroformi ad drm. i⁴.

108.—MISTURA AMMONIÆ ET IPECACU-
ANHÆ.

R—Ammonii Carbonatis.. gr. v.
Vini Ipecacuanhæ .. m. x.
Aquam Camphoræ ad drm. ii.

109.—MISTURA ARSENICALIS ALKALINA
CUM FERRO.

R—Liquoris Arsenicalis .. m. iv.
Sp. Ammoniæ Aromat. drm. ss.
Ferri et Ammonii Cit. gr. v.
Aquam ad drm. ii.

110.—MISTURA ARSENICI ET FERRI.

R—Liq. Asenici Hyd. .. m. iii.
Tinct. Ferri Perchlor. m. x.
Spiritus Chloroformi m. x.
Infusum Quassiae ad drm. ii.

111.—MISTURA ASAFETIDÆ ET VALERIANÆ.

R—Tincturæ Asafetidæ. drm. ss.
Tinct. Valerianæ Amm. drm. ss.
Aquam Camphoræ ad drm. ii.

112.—MISTURA BISMUTHI ET CATECHU.

SYN: ANTI-DIARRHŒA MIXTURE.

R—Bismuthi Subnitratis	gr. xss.
Acidi Nitrici Diluti..	m. viii.
Tincturæ Chloroformi et Morphinæ Co. ..	m. ix.
Tincturæ Catechu ..	m. xv.
Aquam ad	drm. ii.

113.—MIXTURA BISMUTHI COMPOSITA.

R—Bismuthi Carbonatis	gr. x.
Magnesii Carb. Levis ..	gr. x.
Sodii Bicarbonatis ..	gr. x.
Mucilag. Tragacanthæ	q. s.
Glycerini	m. x.
Aquam Chloroformi ad	drm. ii.

114.—MISTURA BROMIDI ET CHLORAL.

R—Potassii Bromidi ..	gr. xv.
Chloral Hydratis ..	gr. xv.
Syrupi ~~Limonis~~ ..	drm. ss.
Aquam ad	drm. ii.

115.—MISTURA BROMIDI COMPOSITA.

R—Ammonii Bromidi ..	gr. v. 10
Potassii Bromidi ..	gr. v.
Sodii Bromidi	gr. v.
<i>Aromatic</i> Tinct. Card. Co.	drm. ss.
Aq. Menth. Pip. .. ad	drm. ii.

116.—MISTURA BROMIDI ET NUCIS VOMICÆ.

R—Potassii Bromidi ..	gr. x.
Tincturæ Nucis Vom.	m. v.
Sp. Ammen. Aromat... ..	drm. ss.
Infus. Gent. Co. .. ad	drm. ii.

117.—MISTURA BUCHU COMPOSITA.

R—Potassii ~~Citratis~~ *Citrici* gr. xx.
 Sodii Benzoatis gr. x.
 Tincturæ Hyoscyami .. m. xx.
 Infusum Buchu ad drm. ii.

118.—MISTURA CALCII CHLORIDI.

R—Calcii Chloridi gr. xv.
 Tincturæ Zingiberis .. m. i.
 Aquam Chloroformi ad drm. ii.

119.—MISTURA CALUMBÆ COMPOSITA.

R—Sodii Bicarbonatis .. gr. vi.
 Spiritus Menthæ Pip... m. iss.
 Tincturæ Calumbæ .. drm. ss.
 Tincturæ Nucis Vom... m. vi.
 Tincturæ Rhei drm. ss.
 Aquam ad drm. ii.

120.—MISTURA CAJUPUTI COMPOSITA.

R—Spiritus Cajuputi .. m. xx.
 Sp. Ammon. Arom. .. m. xx.
 Spiritus Chloroformi m. xx.
 Aquam ad drm. ii.

121.—MISTURA CAPSICI SEDATIVA.

SYN: ANTI-ALCOHOLIC MIXTURE.

R—Potassii Bromidi .. gr. x.
 Sodii Bicarbonatis .. gr. x.
 Tincturæ Capsici .. m. v.
 Tincturæ Zingiberis m. xx.
 Aquam Chloroformi ad drm. ii.

122.—MISTURA CARYOPHYLLI.

R—Sodii Bicarbonatis	..	gr. v.
Sp. Ammon. Arom.	..	m. xx.
Spiritus Chloroformi		m. x.
Infusum Caryoph.	ad	drm. ii.

123.—MISTURA CASCARÆ.

R—Extracti Cascaræ Sag-		
radæ Liquid		drm. i.
Ext. Glycyrrhizæ Liq.		drm. ss.
Sodii Bicarbonatis	..	gr. x.
Aquam Chloroformi	ad	drm. ii.

124.—MISTURA CHLORALAMIDI.

R—Chloralamidi		gr. xx.
Tincturæ Aurantii	..	drm. i.
Spiritus Rectificat.	ad	drm. ii.

125.—MISTURA CHLOROFORMI COMPOSITA.

R—Liq. Morph. Hyd.	..	m. xii.
Potassii Iodidi		m. iii.
Glycerini		drm. ss.
Aquam Chloroformi	ad	drm. ii.

126.—MISTURA COLCHICI.

R—Vini Colchici		m. xv.
Potassii Citratis	..	gr. xx.
Aquam Menth. Pip.	ad	drm. ii.

127.—MISTURA COPAIBÆ.

R—Balsami Copaibæ	..	m. iv.
Liquoris Potassæ	..	m. viiss.
Tincturæ Cubebæ	..	m. xv.
Tinct. Camph. Comp...		m. x.
Syrupi Simplicis	..	m. xv.
Mucilag Tragacanth.	..	drm. ss.
Aquam		ad drm. ii.

128.—MISTURA CREOSOTI.

R—Acidi Acetici Glacialis		m. iii.
Creosoti		m. iii.
Spiritus Juniperi	..	m. vii.
Syrupi Simplicis	..	m. xv.
Aquam		ad drm. ii.

129.—MISTURA DIAPHORETICA.

R—Liq. Ammon. Acet.	..	drm. i.
Spiritus Aetheris Nit.		drm. ss.
Aquam Camphoræ	ad	drm. ii.

130.—MISTURA ERGOTÆ.

R—Extracti Ergotæ Liq...		m. xxii.
Ac. Sulphurici Arom.		drm. ss.
Quininæ Sulphatis	..	gr. ss.
Liq. Strych. Hyd.	..	m. ii.
Glycerinum		ad drm. ii.

131.—MISTURA FERRI APERIENS.

R—Acidi Sulphurici Dil...		m. xss.
Ferri Sulphatis		gr. ii.
Magnesii Sulphatis	..	drm. ss.
Tincturæ Capsici	..	m. i.
Aquam		ad drm. ii.

132.—MISTURA FERRI CUM POTASSII
IODIDO.

R—Ferri et Amm Cit. .. gr. x.
Potassii Iodidi gr. vii.
Spiritus Chloroformi .. m. v.
Infusum Quassiae ad drm. ii.

133.—MISTURA FERRI ET AMMONII ACETA-
TIS.

SYN: BASHAM'S MIXTURE.

R—Liq. Ferri Perchlor. .. m. v.
Liq. Ammonii Acet. .. drm. i.
Acidi Acetici Diluti .. m. v.
Glycerini m. xv.
Aquam ad drm. ii.

134.—MISTURA FERRI ET AMMONII CITRA-
TIS.

R—Ferri et Ammonii Cit. gr. ~~v.~~
Tincturæ Nucis Vom. m. v.
Aquam ad drm. ii.

135.—MISTURA FERRI ET POTASSII CHLOR-
ATIS.

SYN: MISTURA GARGARISMA.

R—Potassii Chloratis .. gr. vi.
Tinct. Ferri Perchlor. m. viiss.
Glycerini m. xx.
Aquam ad drm. ii.

136.—MISTURA FERRI ET STRYCHNINÆ.

SYN: MISTURA TONICA.

R—Liq. Strych. Hyd.	..	m. v.
Tinct. Ferri Perchlor.		m. vi.
Syrupi Simplicis	..	drm. ss.
Aquam		..ad drm. ii.

137.—MISTURA GENTIANÆ ALKALINA.

R—Sodii Bicarbonatis	..	gr. x.
Spiritus Chloroformi		m. x.
Infusum Gent. Co.	ad	drm. ii.

138.—MISTURA GENTIANÆ COMPOSITA.

SYN: MISTURA STOMACHICA.

R—Sodii Bicarbonatis	..	gr. x.
Sp. Ammon. Aromat...	m.	xviii.
Tincturæ Nucis Vom.		m. vi.
Tinct. Gentianæ Co...	m.	xviii.
Aquam		..ad drm. ii.

139.—MISTURA HYDRARGYRI IODIDI.

SYN: MIXED TREATMENT.

R—Liq. Hydrarg. Perchlor.	drm.	i.
Potassi Iodidi		gr. viiss.
Aquam Chloroformi	ad	drm. ii.

140.—MISTURA HYOSCYAMI COMPOSITA.

SYN: MISTURA ANTI-ASTHMATICA.

R—Potassii Iodidi		gr. viiss.
Liquoris Arsenicalis		m. iv.
Vini Ipecacuanhæ	..	m. xv.
Tincturæ Hyoscyami		m. xv.
Aquam Chloroformi	ad	drm. ii.

41.—MISTURA IODIDI.

R—Potassii Iodidi gr. viiss.
 Ammonii Carbonatis gr. iv.
 Sodii Carbonatis .. gr. v.
 Aquam Camphoræ ad drm. ii.

142.—MISTURA IPECACUANHÆ ET SCILLÆ.

SYN: MISTURA EXPECTORANS.

R—Liq. Ammon. Acet. .. drm. ss.
 Syrupi Scillæ drm. ss.
 Syrupi Codeinæ .. m. xv.
 Vini Ipecacuanhæ .. m. xii.
 Aquam ad drm. ii.

143.—MISTURA LOBELLÆ ET POTASSII IODIDI.

R—Potassii Bicarbonatis gr. x.
 Tinct. Lobeliæ Aether. m. xv.
 Potassii Iodidi gr. iv.
 Tincturæ Belladonnæ m. v.
 Aquam Camphoræ ad. drm. ii.

144.—MISTURA MENTHÆ PIPERITÆ.

R—Olei Menthæ Pip. .. m. iss.
 Magnesii Carbonatis gr. iii.
 Aquam ad drm. ii.

145.—MISTURA OLEI SANTALI.

R—Olei Santali m. xv.
 Mucilaginis Acaciæ drm. ss.
 Aquam Menthæ Pip. ad drm. ii.

146.—MISTURA OXYMELLIS COMPOSITA.

R—Vini Ipecacuanhæ	..	m. x.
Tinct. Camphoræ Co...		m. xx.
Potassii Nitratis	..	gr. v.
Oxymellis		drm. ss.
Aquam		..ad drm. ii.

147.—MISTURA PHOSPHATIS COMPOSITA.

R—Calcii Phosphatis	..	gr. iii.
Sodii Phosphatis	..	gr. ii.
Ferri Phosphatis	..	gr. ss.
Acidi Phosphorici Dil.		m. x.
Aquam		..ad drm. ii.

148.—MISTURA POTASSII CARBONATIS.

R—Potassii Carbonatis	..	gr. xv.
Tincturæ Hyoscyami		m. xv.
Infusum Buchu	..ad	drm. ii.

149.—MISTURA SALINA.

R—Potassii Nitratis	..	gr. x.
Spiritus Aetheris Nit.		drm. ss.
Liquor Ammonii Acetatis		ad drm. ii.

150.—MISTURA SALINA ANTIMONIALIS.

R—Vini Antimonialis	..	m. xx.
Misturam Salinam	ad	drm. ii.

151.—MISTURA SANTONINI.

R—Santonini		gr. ss.
Olei Ricini		m. xx.
Syrupi Aurantii	..	m. xv.
Mucilaginis Acaciæ	..	m. xxx.
Aquam Carui		..ad drm. ii.

152.—MISTURA SCOPARII COMPOSITA.

R—Potassii Acetatis	..	gr. xx.
Potassii Nitratis	..	gr. x.
Spiritus Aetheris Nit.	drm.	ss.
Spiritus Juniperi	..	m. xii.
Infusum Scoparii	ad	drm. ii.

153.—MISTURA ~~SENEGÆ~~ COMPOSITA.

R—Ammonii Carbonatis		gr. v.
Tincturæ Scillæ		m. x.
Syrupi Tolutani	..	drm. ss.
Infusum Senegæ	ad	drm. ii.

154.—MISTURA SODII PHOSPHATIS ACIDI.

R—Sodii Phosphatis Acidi	drm.	ss.
Tincturæ Hyoscyami		m. xv.
Infusum Buchu	ad	drm. ii.

155.—MISTURA SODII SALICYLATIS.

SYN: MISTURA RHEUMATICA.

R—Sodii Salicylatis	..	gr. xv.
Potassii Citratis	..	gr. xx.
Ext. Glycyrrhizæ Liq.	drm.	ss.
Aquam Chloroformi	ad	drm. ii.

156.—MISTURA STRYCHNINÆ.

R—Liq. Strychninæ Hyd.		m. v.
Tincturæ Capsici	..	m. iii.
Tinct. Cinchonæ Co...		m. xlx.
Aquam	 ad	drm. ii.

157.—MISTURA TEREBINTHINÆ.

R—Olei Terebinthinæ	..	m. x.
Tincturæ Quillaie	..	m. x.
Syrupi Aromatici	..	drm. ss.
Aquam Cinnamomi	ad	drm. ii.

158.—MISTURA VALERIANÆ COMPOSITA.

R—Ammonii Bromidi	..	gr. v.
Tinct. Valerianæ Amm.	drm. ss.	
Olei Cajuputi		m. ii.
Aquam Camphoræ	ad	drm. ii.

Preparatio

NEBULAE.

159.—NEBULA ACIDI CARBOLICI.

(Throat)

R—Acidi Carbolici Liquid	m. iii.
Sodii Biboratis	gr. xv.
Sodii Bicarbonatis ..	gr. xv.
Glycerini	m. xl.
Aquam ad	oz. i.

160.—NEBULA ACIDI CARBOLICI ET COCAINÆ.

(Throat)

R—Acidi Carbolici Liquid	m. v.
Cocainæ Hydrochloridi	gr. ss.
Glycerini Boracis ..	m. xx.
Aquam Rosæ ad	oz. i.

161.—NEBULA ACIDI SALICYLICI.

(Throat)

R—Acidi Salicylici	gr. iii.
Sodii Chloridi	gr. v.
Sodii Bicarbonatis	gr. v.
Aquam ad	oz. i.

162.—NEBULA ACIDI TANNICI.

(Throat)

R—Acidi Tannici	gr. v.
Glycerini	drm. i.
Aquam ad	oz. i.

163.—NEBULA COCAINÆ CUM MENTHOLE.

R—Cocainæ Hydrochloridi	gr. x.
Mentholis	gr. x.
Paraffinum Liq. .. ad	oz. i.

164.—NEBULA ADRENALIN CHLORIDI.

R—Adrenalin Chl. (1:1000)	drm. iij.
Hydrogenii Peroxidi	drm. ii.
Glycerini	drm. ii.
Aquam ad	oz. vi.

165.—NEBULA EUCALYPTI.

R—Olei Eucalypti	m. x.
Paraffinum Liq. .. ad	oz. i.

166.—NEBULA HYDRARGYRI PERCHLORIDI.

(Throat)

R—Cocainæ Hydrochloridi	gr. ii.
Hydrargyri Perchlor...	gr. 1/3
Glycerini	drm. i.
Aquam ad	oz. i.

167.—NEBULA MENTHOLIS.

R—Mentholis		gr.x.
Paraffinum Liq.	.. ad	oz. i.

168.—NEBULA MENTHOLIS COMPOSITA.

R—Mentholis		gr. ii.
Thymolis		gr. i.
Camphoræ		gr. iiss.
Terebeni		m. viii.
Eucalyptolis		m. viii.
Olei Cassiæ		m. 3/4
Paraffinum Liq.	.. ad	oz. i.

169.—NEBULA POTASSI CHLORATIS CUM FERRO.

(Throat)

R—Potassii Chloratis	..	gr. xv.
Liq. Ferri Perchlor.	..	m. xx.
Glycerini		drm. i.
Aquam	ad	oz. i.

PASTAE.

170.—PASTA RESORCINI COMPOSITA.

SYN: IHLE'S PASTE.

R—Resorcini		gr. xx.
Zinci Oxidi		gr. xx.
Pulveris Amyli		gr. xx.
Adipis Lanæ Hydrosi		drm. iv.
Paraffini Mollis		drm. iv.

171.—PASTA ZINCI COMPOSITA.

SYN: LASSAR'S PASTE.

R—Zinci Oxidi	drm. ii.
Acidi Salicylatis	gr. x.
Pulveris Amyli	drm. ii.
Paraffinum Molle ..ad	oz. i.

172.—PASTA ZINCI ET GELATINI.

SYN: UNNA'S PASTE.

R—Zinci Oxidi	oz. i.
Gelatini	oz. i.
Glycerini	oz. iiss.
Aquæ	oz. iiss.

PIGMENTA.

173.—PIGMENTUM ACIDI CARBOLICI ET COCAINÆ.

(Throat)

R—Acidi Carbolici Liquidi	m. xv.
Cocainæ Hydrochloridi	gr. ss.
Glycerini Boracis ..	m. xx.
Aquam Rosæ ad	oz. i.

174.—PIGMENTUM ACIDI SULPHUROSI.

(Throat)

R—Acidi Sulphurosi ..	drm. ii.
Glycerini Acidi Tannici	drm. ii.
Glycerini	drm. iv.

175.—PIGMENTUM ARGENTI NITRATIS
AETHEREUM.

(Throat)

R—Argenti Nitratis	..	gr. xx.
Aquæ Destillatæ		drm. i.
Sp. Aetheris Nit.	ad	oz. i.

176.—PIGMENTUM FERRI PERCHLORIDI.

(Throat)

R—Liq. Ferri Perchlor.	..	drm. iv.
Glycerini		drm. iv.

177.—PIGMENTUM IODI.

R—Iodi		gr. xxx.
Spiritus Methyлатum	ad	oz. i.

178.—PIGMENTUM IODI CARBOLIZATUM.

(Obstetric)

R—Iodi		drm. i.
Acidi Carbolici Liq.	..	drm. iv.

179.—PIGMENTUM IODI COMPOSITUM.

R—Iodi		gr. v.
Potassii Iodidi		gr. v.
Olei Menthæ Piperitæ		m. v.
Glycerinum	ad	oz. i.

180.—PIGMENTUM OLEI CROTONIS.

SYN: CARSON'S PAINT.

R—Olei Crotonis		drm. ii.
Aetheris		drm. iv.
Tincturæ Iodi		oz. ii.

PILULAE VEL TABELLAE.

181.—PILULA A.B.S. ET C.

R—Aloini		gr. 1/5
Extracti Belladonnæ..		gr. 1/8
Strychninæ	Sulphatis	gr. 1/120
Ext. Cascaræ	Sagradæ	gr. ss.

182.—PILULA ALOINI ET PODOPHYLLI.

R—Aloini		gr. 1/8
Extracti Nucis Vom...		gr. 1/8
Extracti Belladonnæ	..	gr. 1/8
Podophylli Resinæ	..	gr. 1/8

183.—PILULA ARSENII ET FERRI.

R—Acidi Arseniosi		gr. 1/36
Pilulam Ferri	..ad	gr. v.

184.—PILULA ARSENII ET FERRI CUM QUININA.

R—Acidi Arseniosi		gr. 1/36
Quininæ	Sulphatis	.. gr. i.
Pilulam Ferri	..ad	gr. v.

185.—PILULA ARSENII ET FERRI CUM STRYCHNINA.

R—Acidi Arseniosi		gr. 1/36
Strychninæ		gr. 1/50
Pilulam Ferri	..ad	gr. v.

186.—PILULA BELLADONNÆ ET ZINCI
OXIDI.

R—Extracti	Belladonnæ	
Alcoholici		gr. 1/4
Zinci Oxidi		gr. iiss.
Extracti	Gentianæ ..	gr. ii.

187.—PILULA CAFFEINÆ ET PHENACETINI.

R—Caffeinæ	Citratis ..	gr. iii.
Phenacetini		gr. v.

188.—PILULA CALOMELANOS ET COLOCYN-
THIDIS.

R—Ext. Colocynthis	Co.	gr. iv.
Hydrarg. Subchloridi..		gr. i.

189.—PILULA CASCARÆ COMPOSITA.

R—Aloini		gr. ss.
Ext. Cascaræ	Sagradæ	gr. i.
Extracti	Hyoscyami ..	gr. i.
Extracti	Nucis Vom...	gr. 1/4

190.—PILULA COLOCYNTHIDIS COMPOSITA.

SYN: PILULA CATHARTICA COMPOSITA.

R—Ext. Colocynthis	Co.	gr. i.
Extracti	Gentianæ ..	gr. ss.
Extracti	Jalapæ ..	gr. ss.
Extracti	Hyoscyami ..	gr. 1/20
Leptandrini		gr. 1/4
Oleoresinæ	Capsici ..	gr. 1/20
Podophylli	Resinæ ..	gr. 1/4

191.—PILULA CREOSOTI.

R—Creosoti		m. i.
Micæ Panis		q. s.

192.—PILULA DIGITALIS COMPOSITA.

SYN: GUY'S PILL.

R—Pulveris Foliorum Dig-		
italis		gr. i.
Pilulæ Hydrargyri	..	gr. i.
Pulveris Scillæ		gr. i.

193.—PILULA EXPECTORANS.

R—Pulveris Guaiaci	..	gr. ss.
Pulveris Ipecacuanhæ		gr. ss.
Pulveris Opii		gr. ss.
Pilulæ Scillæ Comp.	..	gr. ii.

194.—PILULA ERGOTÆ.

R—Extracti Ergotæ	..	gr. ii.
Basis		q. s.

195.—PILULA FERRI ET QUININÆ CUM
STRYCHNINA.

R—Quininæ Sulphatis	..	gr. i.
Strychninæ		gr. 1/50
Pululam Ferri	..ad	gr. v.

196.—PILULA FERRI ET STRYCHNINÆ.

R—Strychninæ		gr. 1/50
Pululam Ferri	..ad	gr. v.

197.—PILULA HYDRARGYRI ET IPECACU-
ANHÆ COMPOSITA.

SYN: HUTCHINSON'S PILL.

R—Hydrargyri cum Creta	gr. i.
Pulv. Ipecacuanhæ Co.	gr. i.

198.—PILULA SANTONINI COMPOSITA.

R—Santonin		gr. i.
Hydrargyri Subchlor..		gr. i.

199.—PILULA TRIUM PHOSPHATUM.

SYN: EASTON'S PILL.

R—Ferri Phosphatis	..	gr. i.
Quininae Sulphatis	..	gr. i.
Strychninae		gr. 1/32
Sacchari Lactis		gr. 1¼

POTUS.

200.—POTUS IMPERIALIS.

R—Potassii Tartratis Acidi	drm. i.
Syrupi Limonis	oz. iss.
Aquam ad	Ol.

PULVERES.

201.—PULVIS ACIDI SALICYLICI COMPOSITUS.

(Dusting Powder)

R—Acidi Salicylici partes iil.
Talcī Purificati partes xc.
Lycopodii partes x.

202.—PULVIS BISMUTHI COMPOSITUS.

SYN: ANTI-DYSPEPTIC POWDER.

R—Bismuthi Oxycarb. .. gr. xx.
Magnesii Carb. Pond... gr. xx.
Sodii Bicarbonatis .. gr. xx.

203.—PULVIS BISMUTHI CUM MORPHINA.

SYN: FERRIER'S SNUFF.

R—Bismuthi Oxynitratis drm. vi.
Morphinæ Hydrochlor. gr. ii.
Acaciæ Gummi drm. ii.

Dose for insufflation, 120 grains during
24 hours.

204.—PULVIS EMETICUS.

R—Pulveris Ipecacuanhæ gr. xix.
Antimonii Tartrati .. gr. i.

205.—PULVIS EUPAD.

R—Calcis Chlorinatæ
Acidi Borici .. partes æquales.

206.—PULVIS GUAIACI COMPOSITUS.

R—Pulveris Guaiaci Res. gr. viii.
Magnesii Carb. Pond. gr. xvi.
Sulphuris Sublimati .. gr. viii.

207.—PULVIS IODOFORMI ET MORPHINÆ.

R—Iodoformi gr. xxx.
Morphinæ Hydrochlor. gr. iii.
Acidi Borici gr. xc.

Dose for laryngeal insufflation, 1 to 2 grains.

208.—PULVIS LOBELIÆ COMPOSITUS.

R—Potassii Nitratis .. gr. xv.
Pulveris Lobeliæ .. gr. xv.
Pulv. Fol. Stramonii .. gr. xv.
Pulv. Anisi Fructus .. gr. xv.

Burn 1 drachm and inhale fumes.

209.—PULVIS MENTHOLIS COMPOSITUS.

R—Mentholis drm. i.
Ammonii Chloridi .. drm. i.
Acidi Borici drm. ii.

Dose for insufflation, 60 grains during 24 hours.

210.—PULVIS SODII SULPHATIS COMPOSITUS.

SYN: CARLSBAD SALT.

R—Sodii Sulphatis .. partes xxii.
Potassii Sulphatis .. pars i.
Sodii Chloridi partes ix.
Sodii Bicarb. .. partes xviii.

Dose, 1 drachm in a tumbler of warm water.

211.—PULVIS ZINCI CUM AMYLO.

(Dusting Powder)

R—Zinci Oxidi pars i.
Pulverem Amyli .. partes iii.

212.—PULVIS ZINCI OXIDI ET ACIDI BORICI.

(Dusting Powder)

R—Zinci Oxidi pars i.
Acidi Borici pars i.

213.—PULVIS ZINCI OXIDI ET CALOMEL-
ANOS.

(Dusting Powder)

R—Zinci Oxidi partes iii.
Hydrargyri Subchlor. .. pars i.

SERA.

The methods of administration are hypodermic, intramuscular, intravenous, intraspinal, oral, and rectal.

The intravenous injections may be diluted with normal saline solution.

214.—ANTI-COLON BACILLUS SERUM.

25 to 100 c.c. subcutaneously.

215.—ANTI-GONOCOCCUS SERUM.

25 to 100 c.c., subcutaneously.

216.—ANTI-MENINGOCOCCUS SERUM.

25 c.c. intraspinally, repeated.

217.—ANTI-STAPHYLOCOCCUS SERUM,
POLYVALENT.

25 c.c. to 100 c.c., subcutaneously.

218.—ANTI-STREPTOCOCCUS SERUM.

The following varieties are prepared—
Erysipelas, Polyvalent, Puerperal Fever,
Scarlet Fever, Rheumatic Fever, Ulcera-
tive Endocarditis.

The usual dose is 25 to 100 c.c., subcu-
taneously.

219.—ANTI-TYPHOID SERUM.

25 to 100 c.c., subcutaneously.

220.—DIPHThERIA ANTITOXIC SERUM.

The following doses are recommended
by leading authorities:

Prophylactic dose, 1,000 units, subcutan-
eously.

Mild cases, 20,000 units, subcutaneously.

Moderate cases..40,000-80,000 units sub-
cutaneously at once or in 20,000
unit doses every six hours until
the membrane shows signs of sep-
arating and the toxæmia of abat-
ing.

Severe cases of 3 to 5 days duration,
5,000-10,000 units intravenously and
at the same time 50,000-100,000
units subcutaneously. Repeat every
6 hours with 20,000-30,000 units
subcutaneously until membrane be-
gins to separate, etc. These cases
usually require from 200,000 to
300,000 units.

221.—NORMAL HORSE SERUM.

25 to 100 c.c., subcutaneously or orally.

222.—TETANUS ANTITOXIC SERUM.

Prophylactic dose, 1,500 units subcutaneously.

For curative doses the intraspinal and intravenous methods are used. Doses such as 3,000 units intraspinally and 6,000 units intravenously are commonly given at the onset of symptoms. These are repeated daily or more often until the symptoms abate. 50,000 to 200,000 units in all are commonly used.

SUPPOSITORIA.

223.—SUPPOSITORIUM ICHTHYOLIS.

R—Ichthyolis

Balsami Peruviani	aa	m. i.
Extracti Conii		gr. 1/6
Olei Theobromatis	..	gr. xxx.

TROCHISCI.

224.—TROCHISCUS ACACIÆ.

R—Acaciæ Gummi		gr. xii.
Sacchari Albi		gr. vi.
Tragacanthæ		gr. iss.
Aquæ Rosæ		q. s.

225.—TROCHISCUS COCAINÆ.

R—Cocainæ Hydrochlor	..	gr. 1/6
Acaciæ Gummi		gr. xviii.
Sacchari Albi		gr. iv.
Mucilaginis Acaciæ	..	m. ii.

226.—TROCHISCUS GLYCYRRHIZÆ.

R—Extracti Glycyrrhizæ..	gr. ii.
Olei Anisi	m. ss.
Massæ Troch. Acaciæ..	gr. x.

UNGUENTA.

227.—UNGUENTUM ACIDI BORICI.

(Ophthalmic)

R—Acidi Borici	drm. i.
Paraffinum Molle	ad oz. i.

228.—UNGUENTUM ACIDI BORICI CUM
MENTHOLE.

(Nasal)

R—Mentholis	gr. i.
Acidi Borici	gr. vi.
Olei Gaultheriæ	m. i.
Adipis Lanæ Hydrosi	drm. ii.
Paraffinum Molle	ad oz. i.

229.—UNGUENTUM ACIDI CARBOLICI
COMPOSITUM.

R—Acidi Carbolici	pars i.
Ung. Hydrarg. Nit. ..	partes ii.
Unguenti Sulphuris ..	partes ii.

230.—UNGUENTUM ATROPINÆ.

(Ophthalmic)

R—Atropinæ Sulphatis	..	gr. iv.
Paraffinum Molle	ad	oz. i.

231.—UNGUENTUM ATROPINÆ FORTE.

(Ophthalmic)

R—Atropinæ Sulphatis	..	gr. viii.
Paraffinum Molle	ad	oz. i.

232.—UNGUENTUM CALAMINÆ.

R—Calaminæ		drm. iss.
Olei Gaultheiæ		m. ii.
Adipis Benzoati		drm. vii.

233.—UNGUENTUM CHRYSAROBINI COM-
POSITUM.

R—Chrysarobini		gr. v.
Hydrargyri Ammoniati		gr. x.
Liq. Picis Carbonis	..	m. x.
Paraffinum Molle	ad	oz. i.

234.—UNGUENTUM COCAINÆ.

(Ophthalmic)

R—Cocainæ Hydrochlor...		gr. viii.
Paraffinum Molle	ad	oz. i.

235.—UNGUENTUM CUPRI OLEATIS.

R—Cupri Oleatis		drm. i.
Paraffinum Molle	ad	oz. i.

236.—UNGUENTUM DIACHYLI.

R—Emplastri Plumbi	..	pars i.
Paraffini Mollis		pars i.

237.—UNGUENTUM ESERINÆ.

(Ophthalmic)

R—Eserinæ Sulphatis	..	gr. i.
Paraffinum Molle	ad	oz. i.

238.—UNGUENTUM HYDRARGYRI AMMONIATI DILUTUM.

R—Ung. Hydrarg. Ammon.	pars i.
Paraffini Mollis	 partes iii.

239.—UNGUENTUM HYDRARGYRI AMMONIATI DILUTUM.

(Ophthalmic)

R—Hydrargyri Ammon.	..	gr. viii.
Paraffinum Molle	ad	oz. i.

240.—UNGUENTUM HYDRARGYRI OXIDI FLAVI.

(Ophthalmic)

R—Hydrarg. Oxidi Flavi..	gr. iv.
Paraffinum Molle	ad oz. i.

241.—UNGUENTUM HYDRARGYRI OXIDI FLAVI FORTE.

(Ophthalmic)

R—Hydrarg. Oxidi Flavi..	gr. viii.
Paraffinum Molle	ad oz. i.

242.—UNGUENTUM HYDRARGYRI OXIDI FLAVI CUM ATROPINA.

(Ophthalmic)

R—Hydrarg. Oxidi Flavi..	gr. iv.
Atropinæ Sulphatis	.. gr. ii.
Paraffinum Molle	ad ~ oz. i.

243.—UNGUENTUM HYDRARGYRI OXIDI
FLAVI CUM ATROPINA FORTE.

(Ophthalmic)

R—Hydrarg. Oxidi Flavi..	gr. viii.
Atropinæ Sulphatis ..	gr. iv.
Paraffinum Molle ad	oz. i.

244.—UNGUENTUM HYDRARGYRI OXIDI
FLAVI CUM ESERINA.

(Ophthalmic)

R—Hydrarg. Oxidi Flavi..	gr. iv.
Eserinæ Sulphatis ..	gr. i.
Paraffinum Molle ad	oz. i.

245.—UNGUENTUM HYDRARGYRI OXIDI
RUBRI DILUTUM.

R—Unguenti Hydrargyri	
Oxidi Rubri	drm. i.
Paraffinum Molle ad	oz. i.

246.—UNGUENTUM HYDRARGYRI PERCHLOR-
IDI COMPOSITUM.

R—Hydrargyri Perchlor.	gr. ii.
Acidi Carbolici	gr. xx.
Glycerini	m. x.
Olei Olivæ	m. xl.
Unguentum Zinci ad	oz. i.

247.—UNGUENTUM ICHTHYOLIS.

R—Ichthyolis	gr. xl.
Acidi Salicylici	gr. viii.
Paraffinum Molle ad	oz. i.

248.—**UNGUENTUM IODOFORMI CUM
EUCALYPTO.**

(Nasal)

R—Iodoformi	..	..	..	gr. iii.
Olei Eucalypti	..	..	..	drm. ss.
Paraffini Duri	..	..	..	drm. iv.
Paraffini Mollis	..	..	..	oz. i.

249.—**UNGUENTUM METALLOBUM.**

R—Hydrarg.	Subchloridi	gr. x.
Plumbi Acetatis		gr. x.
Zinci Oxidi		gr. xx.
Unguentum Hydrarg.		
Nitratis Dil.	.. ad	oz. i.

250.—**UNGUENTUM NAPHTHOLIS COMPOSITUM.**

R—Naphtholis		partes iss.
Cretæ Preparatæ		pars i.
Saponis Mollis		partes v.
Adipis		partes x.

251.—**UNGUENTUM OLEI CADINI.**

R—Olei Cadini		drm. i.
Paraffinum Molle	ad	oz. i.

252.—**UNGUENTUM PICIS CARBONIS CUM
HYDRARGYRO AMMONIATO.**

R—Liq. Picis Carbonis	..	drm. ss.
Hydrarg. Ammoniat.	..	gr. x.
Paraffinum Molle	ad	oz. i.

253.—**UNGUENTUM PLUMBI CUM CALAMINA.**

SYN: ERYSIPELAS DRESSING.

R—Emplastri Plumbi	..	drm. v.
Calaminæ		drm. i.
Adipis		drm. iv.
Olei Olivæ		drm. ii.

254.—**UNGUENTUM PYROGALLOLIS COMPOSITUM.**

R—Pyrogallolis		gr. xx.
Ichthyolis		gr. xx.
Acidi Salicylici		gr. viii.
Paraffinum Molle	ad	oz. i.

255.—**UNGUENTUM RESORCINI.**

R—Resorcini		drm. i.
Glycerini		drm. i.
Adipis Lanæ Hydrosi		drm. ii.
Paraffinum Molle	ad	oz. i.

256.—**UNGUENTUM SULPHURIS ET ZINCI OXIDI.**

R—Unguenti Sulphuris	..	drm. i.
Unguentum Zinci	ad	oz. i.

237.—**UNGUENTUM THYMOLIS.**

R—Thymolis		gr. xx.
Paraffinum Molle	ad	oz. i.

258.—UNGUENTUM ZINCI CARBONATIS
COMPOSITUM.

R—Zinci Carbonatis	..	drm. i.
Pulv. Acidi Salicylici..		gr. viii.
Adipis Lanæ Hydrosi		drm. ii.
Paraffinum Molle	ad	oz. i.

259.—UNGUENTUM ZINCI OXIDI COMPOSITUM.

R—Zinci Oxidi		drm. i.
Pulv. Acidi Salicylici..		gr. x.
Adipis Lanæ Hydrosi		drm. ii.
Paraffinum Molle	ad	oz. i.

260.—UNGUENTUM ZINCI OXIDI CUM
RESORCINO.

R—Resorcini		gr. xv.
Unguentum Zinci	ad	oz. i

261.—UNGUENTUM ZINCI PEROXIDI.

R—Zinci Peroxidi		gr. xx.
Paraffinum Molle	ad	oz. i.

262.—UNGUENTUM ZINCI PEROXIDI FORTE.

R—Zinci Peroxidi		gr. xl.
Paraffinum Molle	ad	oz. i.

VACCINES.

The following are the average doses of bacterial vaccines. All are administered hypodermically twice each week, excepting *Streptococcus Erysipelatis* (about every second day), *Gonococcus* (about every third day), *Tuberculin* (once each week), and the *Bacillus* of Typhoid (once each week for two or three doses).

263.—*BACILLUS COLI*.

10 to 50 millions.

264.—*BACILLUS DIPHTHERIÆ*.

20 to 100 millions.

265.—*BACILLUS OF FRIEDLANDER*.

50 to 100 millions.

266.—*BACILLUS OF GLANDERS*.

50 to 100 millions.

267.—*BACILLUS OF INFLUENZA*.

50 to 100 millions.

268.—*BACILLUS OF PERTUSSIS*.

25 to 100 millions.

269.—*BACILLUS PYOCYANEUS*.

10 to 50 millions.

270.—*BACILLUS OF TYPHOID*.

100 to 500 mil. (Therapeutic).

500 to 1,000 mil. (Prophylactic).

271.—*GONOCOCCUS*.

2½ to 100 millions.

272.—*MICROCOCCUS CATARRHALIS*.

5 to 50 millions.

273.—*PNEUMOCOCCUS*.

10 to 50 millions.

274.—*STAPHYLOCOCCUS PYOGENES ALBUS*.

20 to 40 millions.

(Source—acne vulgaris.)

275.—*STAPHYLOCOCCUS PYOGENES AUREUS*.

125 to 500 millions.

(Source—boils, etc.)

276.—*STREPTOCOCCUS ERYSIPELATIS*.

2½ to 10 millions.

277.—*TUBERCULIN (B.E.)*.

1/100,000 to 1/800 mgm.

VAPORES.

278.—*VAPOR ACIDI CARBOLICI*.

R—Acidi Carbolici Puri.. gr. xx.

Aquæ Bullientis Ol.

To be inhaled from a suitable vessel.

279.—VAPOR BENZOINI.

R—Tincturæ Benzoini Co.	drm. i.
Aquæ Bullientis	Ol.

To be inhaled from a suitable vessel.

280.—VAPOR CREOSOTI.

R—Creosoti	m. xl.
Magnesii Carbon. Levis	gr. xx.
Aquam ad	oz. i.

Use one drachm to a pint of boiling water for each inhalation.

281.—VAPOR EUCALYPTI.

R—Olei Eucalypti	m. xl.
Magnesii Carbon. Levis	gr. xx.
Aquam ad	oz. i.

Use one drachm to a pint of boiling water for each inhalation.

282.—VAPOR TERE BENI.

R—Terebeni	m. xl.
Magnesii Carbon. Levis	gr. xx.
Aquam ad	oz. i.

Use one drachm to a pint of boiling water for each inhalation.

Luminal - Phenobarb, Hypnotic

Feshell's - Ferrans Sulphate^{gr}
Hematonic Plastules
Plastules.

Bland's - Iron Pills - gr 7

Roast's 217 A.P.C.

ac - before meals.

pc - after meals.

hs - at bedtime.

PRN - when necessary.

aa - of each.

ad - up to.

AM - before noon.

Q 4 h - every 4 hours.

Bid - twice daily.

Tid - three times daily.

Qid - four times daily.

Liquid Paraffin - Mineral Oil

mitt - send thou.

Stt. - drop.

St. - let it be made.

Eupad $\bar{a}$ Chloride of lime ^(R7)
2 packages (2 lbs)
2 lbs Boracic Acid ^(P4)

Eusol 125 gms of Eupad.
fill bottle with ordinary water.
fill bottles from the
floors only half full.

Dakins Solution
chlorozone powder 8 dms
120 oz. water
this is double strength

Liq. Iodi Mitis.
Distilled water 8 oz.
Pot. Iodide 133 grs.
Iodine crystals 6 gr.

Lawn Cure.


25% Salicylic Acid in
Collodion. 6 gr.

Spt. Chloroform 1-20 S.V.F.

Soln Phosphoric acid 1%

5.8 cc of Phosphoric Acid
500 cc of distilled water.







1.5
S

St. M
Pl

TL

1916

1916

DATE

